

IES TM-30-2015 Test Report

Product Mark

Product Type : ORCo300-F52-3600R2

Temperature : 'C

Operator : -

Remark :








Manufacturer : -

Humidity : -%

Test Date : 2025-03-20

Rf: 89.0 CCT(K): 2985 u': 0.2513
 Rg: 101.8 LER: 309.5 Duv: -0.0005 v': 0.3473

Hue Bin	Rf	Graphic Shifts (%)	
		Chroma	Hue
1	88.8	-5.3%	-1.2%
2	90.6	-3.6%	3.2%
3	86.3	-0.5%	6.3%
4	90.7	0.8%	3.9%
5	91.7	3.7%	4.6%
6	89.3	6.1%	0.5%
7	90.0	1.7%	-4.6%
8	92.2	2.7%	-3.6%
9	94.9	-1.4%	-0.9%
10	91.5	-2.4%	3.6%
11	86.1	0.0%	8.5%
12	86.4	5.5%	2.5%
13	89.5	4.9%	-4.2%
14	84.6	5.5%	-9.7%
15	90.3	0.4%	-5.4%
16	80.9	-2.0%	-13.5%



IES TM-30-2015 Test Report

Product Mark

Product Type : ORCo300-F52-3600R2

Manufacturer : -

Temperature : 'C

Humidity : -%

Operator : -

Test Date : 2025-03-20

Remark :

